

## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2001-043978

(43)Date of publication of application : 16.02.2001

(51)Int.Cl.

H05B 33/22

C09K 11/06

H05B 33/14

(21)Application number : 11-215071

(71)Applicant : MITSUI CHEMICALS INC

(22)Date of filing : 29.07.1999


(72)Inventor : NAKATSUKA MASAKATSU  
SHIMAMURA TAKEHIKO

## (54) ORGANIC ELECTROLUMINESCENT ELEMENT

## (57)Abstract:

PROBLEM TO BE SOLVED: To improve the stability, the durability and the luminescent brightness by holding at least one layer including a diazaindolizine derivative, between a pair of electrodes.

SOLUTION: In this organic electroluminescent element, at least one layer including at least one kind of diazaindolizine derivative, is held between a pair of electrodes. The diazaindolizine derivative is preferably a compound represented by the formula. In the formula, X1-X5 are H, halogen atom, straight chained, branched or cyclic alkyl group or alkoxy group, an optionally substituted aralkyl group or the like. The diazaindolizine derivative is preferably used in a hole injecting carrying component, a luminescent component or an electron injecting carrying component. A ratio of the diazaindolizine derivative is preferably above 0.1 wt.% when another hole injecting carrying component such as a triarylamine derivative is used, and preferably 0.001-99.999 wt.% when another luminescent component such as polycyclic aromatic compound or the like is used.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's  
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office